

## J ARM instruction manual

**OptixNowUSA is NOT responsible for misuse of the product or any contents related to the products we sell.**

**CAUTION: these products contain choking hazards for children!**

**Refer to this guide Before Use For Best User Experience**




Compatible with OptixNowUSA all generations, PVS14's and other optical devices that accept a 1/4-20 screw.

## Whats Included

4x arms varying lengths

2x U joints with screws and nuts



1x dovetail bracket

2x low profile 1/4-20 screws



2x Low profile M4 screws



2x Deep socket M4 Screws



1x Allen key for all M4 screws



Misc mounting hardware for other devices



## Instructions

1, Attach your optical device or night vision device to the arm using the 1/4-20 screw. Do NOT over tighten once the device is secure and does not wobble.



2, The J arm's dovetail mount will slide in to the pocket of the G24 style device



3, once the J arm is attached to the G24, loosen the horizontal M4 screws on the U joint in order to swing the arms up or down. Once the device is lined up with your eye and comfortable, tighten the M4 screws with the Allen wrench provided. DO NOT over tighten, once the screw is tight it is not necessary to continue tightening.



4, additional adjustment with the the U joint, loosen the vertical M4 screws and the U joint will slightly swing forward or backward. Once its adjusted to your liking, gently tighten the screws. DO NOT over tighten these screws as it may result in the the nut threads stripping.



**Thank you for choosing our product! Any questions, concerns or suggestions, please go to [OptixNowUSA.com](http://OptixNowUSA.com) or email [OptixNowUSA@gmail.com](mailto:OptixNowUSA@gmail.com). Contact us with any questions, concerns or suggestions! Thank you!**